

SUPPLEMENTARY MATERIAL for  $^1\text{H}$ ,  $^{15}\text{N}$ ,  $^{13}\text{C}$ , and  $^{13}\text{CO}$  Assignments and Secondary Structure Determination of Collagenase-3 (MMP-13) Complexed with a Hydroxamic Acid Inhibitor by Franklin J. Moy, Pranab K. Chanda, Scott Cosmi, Wade Edris, Jeremy I. Levin and Robert Powers

Table S1  $^{15}\text{N}$ ,  $^{13}\text{C}$ ,  $^{13}\text{CO}$  and  $^1\text{H}$  resonance assignments for MMP-13:WAY151693 at pH 6.5 and 35°C.<sup>a</sup>

Residue	N	CO	C $\alpha$	C $\beta$	Others
Y1	-(-)	171.7	55.6(4.32)	38.1(3.32,3.09)	C $\delta$ 129.7(6.84)
N2	119.0(9.80)	173.3	53.4(5.07)	43.3(2.50)	
V3	115.5(8.40)	176.4	59.8(4.75)	32.5(2.76)	C $\gamma$ 19.0(1.27);C $\gamma$ 18.6(1.04)
F4	121.4(8.04)	-	58.7(4.32)	43.3(3.87)	C $\delta$ -(7.27)
P5	-(-)	177.2	64.3(4.41)	31.7(1.93,2.38)	C $\gamma$ 28.1(2.19);C $\delta$ 49.3(3.70,3.48)
R6	116.1(8.48)	175.8	57.7(4.00)	28.1(1.63)	C $\gamma$ 32.9(1.64);C $\delta$ 43.4(3.25)
T7	114.3(8.41)	173.8	62.6(3.87)	67.5(4.32)	C $\gamma$ 22.7(1.24)
L8	122.7(6.89)	175.8	54.7(4.29)	42.2(1.62,1.36)	C $\gamma$ 26.5(1.71);C $\delta$ 25.7(0.82);C $\delta$ 22.7(0.82)
K9	116.6(7.85)	175.6	55.0(4.50)	34.6(1.84)	C $\gamma$ 22.9(1.47,1.19);C $\delta$ 29.7(1.56,1.47); C $\epsilon$ 42.0(2.96)
W10	122.8(8.20)	-	57.9(4.60)	30.4(3.61,3.29)	C $\delta$ 1 -(7.37);N $\epsilon$ 1 128.8(10.73); C $\epsilon$ 3121.6(7.88);C $\zeta$ 3 121.7(7.09); C $\zeta$ 2 112.6(7.40);C $\eta$ 2 124.9(7.53)
S11	-(-)	172.8	58.4(4.65)	63.5(4.21,4.08)	
K12	119.0(7.52)	173.5	54.1(4.75)	34.5(1.93,2.89)	C $\gamma$ 23.6(1.44,1.28);C $\delta$ 29.7(1.96,1.75); C $\epsilon$ 42.4(2.99)
M13	114.0(8.19)	174.4	54.3(4.50)	33.9(2.11,1.90)	C $\gamma$ 33.3(2.77,2.54);C $\epsilon$ 19.0(2.20)
N14	115.8(7.36)	173.4	51.8(4.87)	37.9(2.63,2.57)	
L15	124.6(8.05)	177.3	53.2(4.53)	44.9(0.84,1.26)	C $\gamma$ 27.7(0.89);C $\delta$ 25.0(0.01); C $\delta$ 23.2(-0.18)
T16	112.5(9.39)	174.2	58.1(5.57)	72.9(4.11)	C $\gamma$ 21.9(1.14)
Y17	117.5(8.65)	172.0	54.8(5.64)	42.6(2.93,2.33)	C $\delta$ -(6.32)
R18	119.4(8.24)	173.5	55.1(4.54)	34.3(1.86)	C $\gamma$ 28.4(1.73);C $\delta$ 44.5(2.97,2.70)
I19	128.6(8.83)	174.9	61.3(4.17)	37.4(1.76)	C $\gamma$ 36.8(1.36);C $\gamma$ m 17.6(0.39);C $\delta$ -(1.01)
V20	130.2(9.66)	175.5	66.5(3.48)	32.2(2.25)	C $\gamma$ 23.5(1.11);C $\gamma$ 21.0(-)
N21	115.5(7.78)	182.0	51.3(4.71)	39.2(3.24,3.16)	
Y22	111.7(8.16)	175.4	57.6(4.45)	41.2(2.85,2.52)	C $\delta$ 132.5(6.92);C $\epsilon$ -(6.84)
T23	110.8(7.61)	-	55.2(4.98)	67.5(2.97)	C $\gamma$ 19.7(0.61)
P24	-(-)	177.4	63.2(4.75)	31.7(2.28,2.14)	C $\gamma$ 26.8(2.04);C $\delta$ 51.4(4.51,3.65)
D25	121.8(8.94)	175.6	56.0(4.17)	41.7(3.40,2.78)	
M26	114.3(7.24)	174.8	53.5(4.76)	40.6(2.41,1.46)	C $\gamma$ 32.1(2.56,2.24);C $\epsilon$ 16.7(1.82)
T27	110.3(8.58)	-	61.6(4.44)	70.4(4.71)	C $\gamma$ 22.0(1.40)
H28	-(-)	177.8	58.8(4.26)	28.4(3.04,2.85)	C $\delta$ 2 118.0(7.05)

S29	112.5(8.59)	177.3	61.3(4.38)	62.5(3.97)	
E30	121.8(7.72)	179.9	59.5(4.02)	30.3(2.07,2.34)	C $\gamma$ 37.7(2.50,2.28)
V31	122.5(8.09)	176.7	66.9(3.23)	32.0(2.50)	C $\gamma$ 25.0(1.06);C $\gamma$ 23.3(0.90)
E32	117.5(8.51)	180.0	59.9(4.01)	29.1(2.44,2.17)	C $\gamma$ 37.3(2.89,2.52)
K33	119.8(8.44)	178.3	59.3(4.09)	32.9(1.96)	C $\gamma$ 25.3(1.64);C $\delta$ 29.4(1.88,1.77); C $\epsilon$ 42.1(3.17)
A34	122.6(7.84)	180.1	55.6(4.20)	17.7(1.25)	
F35	113.8(7.93)	177.3	58.8(4.68)	37.2(3.12)	C $\delta$ 129.6(7.02);C $\epsilon$ 131.2(6.67); C $\zeta$ 129.8(6.16)
K36	120.0(8.49)	180.0	60.8(4.18)	33.0(2.17)	C $\gamma$ 25.2(1.80,1.64);C $\delta$ 32.8(1.92); C $\epsilon$ 42.1(3.19)
K37	119.8(8.44)	178.7	59.8(4.08)	32.8(1.91,1.80)	C $\gamma$ 25.4(1.63,1.30);C $\delta$ 29.3(1.47,1.15); C $\epsilon$ 41.5(2.43)
A38	123.4(8.38)	178.3	55.7(4.25)	19.3(1.51)	
F39	114.3(8.12)	178.4	63.0(4.22)	38.8(2.55,2.67)	C $\delta$ 129.7(5.67);C $\epsilon$ 128.7(5.32); C $\zeta$ 126.6(5.48)
K40	120.8(7.85)	177.5	58.3(4.62)	32.8(2.18,2.01)	C $\gamma$ 25.4(1.73,1.50);C $\delta$ 29.8(1.88,1.76); C $\epsilon$ 42.4(3.22)
V41	112.9(7.35)	176.8	65.1(3.96)	31.2(2.08)	C $\gamma$ 22.7(0.73);C $\gamma$ 21.4(0.83)
W42	116.2(6.86)	180.6	57.7(4.92)	30.9(3.35)	C $\delta$ 1 127.8(7.48);N $\epsilon$ 1 127.8(10.18); C $\epsilon$ 3 119.3(7.52);C $\zeta$ 3 121.9(6.99); C $\zeta$ 2 115.7(7.50);C $\eta$ 2 123.8(7.01)
S43	117.5(9.17)	176.7	61.5(4.39)	63.3(4.51,4.05)	
D44	120.6(8.68)	178.0	56.8(4.76)	41.1(3.01,2.81)	
V45	107.8(7.15)	173.8	60.4(5.01)	32.6(2.76)	C $\gamma$ 21.5(1.05);C $\gamma$ 19.0(1.27)
T46	109.2(7.40)	173.8	60.5(5.67)	72.4(4.28)	C $\gamma$ 24.8(1.67)
P47	-(-)	176.7	62.3(4.93)	31.0(2.43,2.07)	C $\gamma$ 27.7(2.12,1.99);C $\delta$ 52.1(4.01,3.28)
L48	117.3(7.24)	176.6	55.3(4.32)	43.7(1.38,0.59)	C $\gamma$ 27.4(1.19);C $\delta$ 26.8(0.57);C $\delta$ 22.6(0.42)
N49	117.8(8.18)	172.1	52.2(4.74)	42.8(2.56)	
F50	118.9(8.37)	175.6	56.6(5.20)	41.6(2.49,2.06)	C $\delta$ 132.6(6.72);C $\epsilon$ 130.3(6.98); C $\zeta$ 128.9(7.17)
T51	120.2(8.52)	171.8	61.5(4.44)	71.5(3.71)	C $\gamma$ 21.0(1.12)
R52	128.5(8.52)	175.3	55.3(3.34)	30.9(1.11,1.58)	C $\gamma$ 27.7(0.92,0.87);C $\delta$ 44.2(3.16,3.07)
L53	127.0(8.98)	-	53.0(4.68)	44.2(1.75,1.35)	C $\gamma$ 27.1(1.58);C $\delta$ 24.9(0.87)
H54	-(-)	174.0	57.4(4.46)	31.5(3.28,3.00)	C $\delta$ 2 119.3(7.05)
D55	117.0(7.68)	174.7	52.5(4.62)	43.9(2.62)	
G56	106.8(8.32)	172.8	44.5(4.12,3.80)		
I57	118.9(8.22)	175.0	60.5(4.16)	37.4(1.81)	C $\gamma$ 27.3(1.52,1.24);C $\gamma$ m 17.8(0.91); C $\delta$ 11.6(0.87)
A58	131.5(7.94)	177.0	49.1(4.54)	22.7(0.95)	
D59	121.2(8.32)	177.4	58.6(4.41)	41.2(2.30,2.82)	
I60	123.9(8.85)	174.2	61.2(4.17)	39.1(1.84)	C $\gamma$ -(1.43,1.33);C $\gamma$ m 15.2(1.06); C $\delta$ 13.8(0.82)
M61	127.0(7.48)	176.7	53.8(4.95)	32.9(2.22,1.86)	C $\gamma$ -(2.74);C $\epsilon$ 18.9(2.29)

I62	128.1(9.09)	174.4	60.8(5.42)	40.7(1.76)	C $\gamma$ 28.3(0.79);C $\gamma$ m 19.0(0.52); C $\delta$ 16.1(0.49)
S63	117.8(8.82)	172.4	56.8(5.17)	66.6(3.84)	
F64	120.7(9.93)	177.2	56.3(5.54)	41.9(2.94,2.78)	C $\delta$ -(7.07)
G65	109.5(9.03)	182.5	44.5(4.84,3.60)		
I66	116.5(8.43)	174.4	59.7(4.81)	42.2(1.90)	C $\gamma$ 26.7(1.52,1.12);C $\gamma$ m 18.7(1.00); C $\delta$ 13.5(0.94)
K67	121.5(9.85)	177.7	57.4(3.85)	30.3(2.12,2.01)	C $\gamma$ 25.4(1.71,1.40);C $\delta$ 28.4(1.83,1.72); C $\epsilon$ 41.9(2.94)
E68	127.8(8.18)	174.8	57.8(4.31)	28.5(2.20)	C $\gamma$ -(2.45)
H69	-(-)	-	-(-)	-(-)	
G70	-(-)	-	-(-)		
D71	-(-)	-	-(-)	-(-)	
F72	-(-)	-	-(-)	-(-)	
Y73	-(-)	-	-(-)	-(-)	
P74	-(-)	178.4	63.0(4.37)	31.6(2.04,1.94)	C $\delta$ 53.9(2.54,2.41)
F75	118.3(7.97)	175.9	56.9(4.79)	38.1(3.91,3.09)	C $\delta$ -(7.27)
D76	116.1(8.35)	177.4	53.4(4.74)	41.9(3.15,2.67)	
G77	110.0(8.68)	-	44.0(4.47)		
P78	-(-)	-	63.9(4.05)	31.7(2.29,1.85)	C $\gamma$ 27.7(2.14,2.04)
S79	124.8(13.02)	174.4	58.4(3.56)	63.1(4.02,4.24)	
G80	111.5(8.36)	173.6	46.3(4.02,3.41)		
L81	130.1(10.06)	177.3	56.4(3.71)	41.3(1.77,1.51)	C $\gamma$ 27.3(1.38);C $\delta$ 27.3(0.78);C $\delta$ 24.7(0.43)
L82	127.6(7.98)	175.5	55.9(4.30)	43.7(1.14,1.07)	C $\gamma$ 25.5(1.53);C $\delta$ 25.0(-0.32); C $\delta$ 19.4(-0.54)
A83	114.3(6.78)	175.0	51.2(4.54)	22.0(0.87)	
H84	116.7(8.98)	171.4	54.1(5.14)	31.3(3.10,2.94)	
A85	121.2(8.32)	176.6	50.2(5.08)	23.3(1.45)	
F86	120.9(8.10)	-	54.8(4.64)	41.1(2.76,2.67)	C $\delta$ -(7.17)
P87	-(-)	-	-(-)	-(-)	
P88	-(-)	174.5	64.2(3.11)	31.7(0.02,0.92)	
G89	106.9(5.57)	-	44.2(-)		
P90	-(-)	-	-(-)	-(-)	
N91	-(-)	-	-(-)	-(-)	
Y92	-(-)	175.0	59.1(4.51)	36.0(2.42,2.06)	C $\delta$ 138.7(6.90);C $\epsilon$ -(7.18)
G93	105.4(7.82)	175.1	47.2(3.28,3.86)		
G94	119.9(8.02)	171.7	46.8(4.72,4.29)		
D95	122.7(8.60)	173.3	56.0(4.61)	40.2(3.24,3.10)	
A96	118.4(7.90)	174.7	51.0(4.97)	22.7(1.24)	
H97	121.0(9.05)	173.6	50.8(5.93)	34.7(2.98,2.83)	C $\delta$ 117.4(7.37)
F98	122.0(8.82)	173.9	56.9(4.22)	42.0(2.14,1.99)	C $\delta$ 131.9(6.36);C $\epsilon$ 129.7(6.60); C $\zeta$ 127.0(6.46)
D99	123.0(8.03)	179.2	53.9(3.88)	41.0(0.98,3.08)	
D100	129.0(10.20)	179.5	53.4(5.58)	40.9(2.95,2.63)	
D101	123.8(9.35)	177.8	56.6(4.98)	39.1(2.75,2.14)	

E102	114.9(7.34)	177.5	53.1(4.78)	27.0(1.17,0.52)	C $\gamma$ 34.3(1.53,2.61)
T103	122.1(8.14)	172.1	61.6(4.33)	68.8(3.94)	C $\gamma$ 21.1(1.08)
W104	132.1(9.59)	176.3	56.1(5.26)	31.1(3.38,3.00)	C $\delta$ 1 128.1(7.49);N $\epsilon$ 1 126.0(9.56); C $\epsilon$ 3 122.2(7.51);C $\zeta$ 3 120.8(6.75); C $\zeta$ 2 115.2(7.86);C $\eta$ 2 123.1(6.84)
T105	113.2(8.78)	174.4	60.0(4.96)	71.4(4.22)	C $\gamma$ 19.3(0.79)
S106	115.7(8.60)	174.9	57.6(4.93)	63.9(4.14,3.97)	
S107	121.2(8.97)	172.8	56.9(4.95)	65.0(4.27,3.91)	
S108	-(-)	174.8	58.0(4.02)	64.0(3.83,3.49)	
K109	124.7(7.84)	175.1	55.5(4.30)	32.1(1.76,1.65)	C $\gamma$ 24.9(1.45,1.35);C $\delta$ 28.9(1.78,1.67); C $\epsilon$ 42.1(2.98)
G110	109.9(7.91)	173.3	44.9(3.79,3.39)		
Y111	122.2(8.32)	173.8	58.3(4.05)	40.4(2.05,1.52)	C $\delta$ 132.4(5.70);C $\epsilon$ 118.4(6.36)
N112	123.6(8.52)	175.1	54.5(4.96)	40.9(3.04,2.82)	
L113	129.8(8.68)	176.7	58.2(4.34)	41.9(1.61,1.53)	C $\gamma$ 26.8(0.88);C $\delta$ 26.8(0.36); C $\delta$ 22.0(-0.18)
F114	118.5(8.56)	175.0	60.6(4.01)	37.5(3.44,3.31)	C $\delta$ 132.7(7.31);C $\epsilon$ 130.2(6.83); C $\zeta$ 128.7(6.53)
L115	120.4(8.12)	178.8	57.8(3.19)	43.4(1.75)	C $\gamma$ 27.2(1.74);C $\delta$ 24.9(0.76);C $\delta$ 24.9(0.99)
V116	115.5(7.80)	178.6	65.9(4.13)	32.0(2.29)	C $\gamma$ 24.1(1.25);C $\gamma$ 22.3(1.13)
A117	122.0(9.34)	176.8	55.3(3.54)	17.8(1.00)	
A118	119.0(8.60)	179.8	56.6(3.81)	17.1(1.05)	
H119	117.8(7.53)	176.5	58.9(4.60)	28.7(4.16,3.12)	C $\delta$ 2 128.2(7.09)
E120	118.1(9.19)	178.1	58.8(3.99)	28.0(2.86,1.85)	C $\gamma$ 33.8(1.44,1.04)
F121	116.9(9.12)	177.6	55.8(4.86)	36.0(2.81)	C $\delta$ -(6.28);C $\epsilon$ 129.0(6.38);C $\zeta$ 127.7(6.10)
G122	108.9(7.81)	177.5	48.5(4.17,2.51)		
H123	121.7(7.32)	179.5	57.6(5.54)	28.2(2.83,4.12)	C $\delta$ 2 -(7.09);C $\epsilon$ 1 138.0(6.47)
S124	117.0(9.00)	175.4	63.1(4.72)	-(4.32)	
L125	114.7(7.60)	178.1	55.1(4.67)	43.6(1.75)	C $\gamma$ 26.2(2.20);C $\delta$ 24.6(0.53);C $\delta$ 22.2(0.98)
G126	108.1(8.40)	172.8	45.2(5.06,3.58)		
L127	120.7(8.90)	175.4	54.5(4.68)	41.9(1.57)	C $\gamma$ 26.8(1.45);C $\delta$ 26.9(1.05);C $\delta$ 22.3(0.72)
D128	123.4(8.23)	174.9	50.3(4.04)	42.5(1.11,2.02)	
H129	117.0(9.06)	175.5	57.3(5.00)	29.1(2.87)	C $\delta$ 2 125.8(7.19);C $\epsilon$ 1 135.7(7.26)
S130	115.7(6.99)	175.1	56.5(4.21)	64.3(3.40,4.54)	
K131	122.3(8.51)	175.8	56.2(4.62)	32.5(2.09,1.74)	C $\gamma$ 25.5(1.51,1.43);C $\delta$ 28.8(1.74); C $\epsilon$ 42.2(3.03)
D132	124.6(8.86)	174.2	51.3(4.75)	41.3(2.99,2.47)	
P133	-(-)	171.8	62.6(4.17)	31.7(2.30,1.55)	C $\gamma$ 27.1(1.81,1.68);C $\delta$ 50.7(4.14,3.70)
G134	106.3(8.52)	173.4	44.5(4.17,3.56)		
A135	124.7(8.05)	177.3	52.0(4.61)	20.0(1.96)	
L136	132.8(12.17)	181.3	58.0(4.54)	42.1(1.95,1.63)	C $\gamma$ 27.8(1.79);C $\delta$ 22.7(1.28);C $\delta$ 27.4(0.90)
M137	114.3(9.09)	177.7	53.2(4.63)	27.2(2.61,2.31)	C $\gamma$ 30.6(2.74,3.29);C $\epsilon$ 11.5(0.56)
F138	128.1(8.06)	176.9	57.3(4.89)	40.1(3.19,1.99)	C $\delta$ 133.2(7.22);C $\epsilon$ 130.1(6.76); C $\zeta$ 128.6(6.92)
P139	-(-)	172.6	63.3(3.65)	27.6(0.78,0.20)	

I140	118.8(7.52)	175.4	60.1(4.64)	40.6(2.00)	C $\gamma$ 28.3(1.56,1.24);C $\gamma$ m 17.5(1.07); C $\delta$ 12.3(0.98)
Y141	127.4(9.21)	174.5	59.1(4.92)	38.8(3.30,2.83)	C $\delta$ 133.9(7.13);C $\epsilon$ 118.1(7.04)
T142	126.2(8.81)	172.1	61.3(4.26)	70.8(4.03)	C $\gamma$ 21.2(1.19)
Y143	126.0(8.51)	175.3	58.7(4.31)	39.4(2.94)	C $\delta$ 133.0(7.18);C $\epsilon$ 118.2(6.83)
T144	-(-)	174.3	61.3(4.24)	69.7(4.21)	C $\gamma$ 21.1(1.24)
G145	110.2(7.24)	174.2	45.8(3.92,3.77)		
K146	120.1(7.70)	176.8	56.5(4.32)	33.0(1.91,1.76)	C $\gamma$ 24.8(1.46);C $\delta$ 29.0(1.74);C $\epsilon$ 41.9(3.05)
S147	-(-)	-	-(-)	-(-)	
H148	-(-)	-	-(-)	-(-)	
F149	-(-)	174.0	59.3(4.31)	40.3(3.16,2.94)	C $\delta$ 132.0(7.25);C $\epsilon$ 131.0(7.22)
M150	126.9(7.25)	173.8	53.4(4.37)	34.7(1.85,1.69)	C $\gamma$ 31.5(2.37)
L151	127.2(8.40)	174.2	53.3(4.14)	42.9(1.66,1.34)	C $\gamma$ 25.0(0.42);C $\delta$ 25.8(0.82);C $\delta$ 25.8(0.48)
P152	-(-)	176.2	62.9(4.36)	33.2(2.32,1.93)	C $\gamma$ 28.7(-);C $\delta$ 51.0(-)
D153	120.7(8.40)	178.0	58.0(4.33)	41.2(2.69)	
D154	116.8(8.90)	177.3	58.8(4.43)	43.8(3.04,2.37)	
D155	114.5(7.15)	178.6	56.5(4.81)	43.6(2.79,2.92)	
V156	119.3(7.95)	178.1	67.0(3.58)	31.8(2.30)	C $\gamma$ 23.3(1.10);C $\gamma$ 21.3(0.95)
Q157	117.1(8.72)	179.9	58.6(3.90)	28.1(2.20)	C $\gamma$ 34.3(2.70,2.52)
G158	108.5(8.28)	176.3	46.6(2.92,1.93)		
I159	125.3(9.02)	178.4	61.2(4.42)	38.7(2.35)	C $\gamma$ 30.6(2.07,1.83);C $\gamma$ m 21.1(1.63); C $\delta$ 15.4(1.04)
Q160	122.4(8.57)	179.4	58.4(4.23)	26.9(1.78,2.18)	C $\gamma$ 34.6(-)
S161	119.7(7.95)	175.0	61.8(4.27)	61.1(-)	
L162	120.9(6.78)	177.7	56.5(4.21)	44.6(1.84,0.39)	C $\gamma$ 25.3(1.60);C $\delta$ 23.2(0.80);C $\delta$ 25.9(1.00)
Y163	114.0(7.65)	175.8	58.9(4.79)	41.2(3.49,2.76)	C $\delta$ 134.2(7.39);C $\epsilon$ 117.9(7.42)
G164	109.5(8.35)	180.3	44.5(4.34,4.08)		

#### Footnotes to Table S1

<sup>a</sup>In each column, <sup>15</sup>N and <sup>13</sup>C shifts are listed first, and the corresponding <sup>1</sup>H shifts are given in parentheses. <sup>1</sup>H, <sup>13</sup>C and <sup>15</sup>N chemical shifts are referenced according to the method of Wishart et al. 1995