

Review

What's next for metabolomics?

Nichole Reisdorph¹, Corey D Broeckling², Rafael Brüscheiler³,
 Clary B Clish⁴, Valérie Copié⁵, Timothy MD Ebbels⁶,
 Arthur S Edison⁷, Facundo M Fernández⁸, Ulrich L Günther⁹,
 Ewy A Mathé¹⁰, Vanessa V Phelan¹, Robert Powers¹¹,
 Daniel Raftery¹², Tracey B Schock¹³, Dajana Vuckovic¹⁴,
 David S Wishart¹⁵, Min Zhang¹⁶ and Elizabeth Want¹⁷



Metabolomics has become a mainstream approach that examines the metabolic composition of biological systems in relation to their physiological and disease states. Using analytical techniques such as nuclear magnetic resonance spectroscopy and mass spectrometry, metabolomics enables detailed profiling of small molecules in cells, tissues, and biofluids. Recent methodological advances, along with the integration of big data analytics and expanding metabolite databases, have significantly enhanced the accuracy and scope of metabolomics research. However, despite over twenty years of development, metabolomics still encounters challenges in annotation, automation, and standardization, which are crucial for fully leveraging recent advances in machine learning and applying metabolomics in biological and clinical studies. Recently, a group of experts assembled to discuss future strategies for standardization and automation and their potential in clinical research. This review underscores critical and unresolved issues in current metabolomics research and suggests pathways toward solutions.

Addresses

¹ Skaggs School of Pharmacy and Pharmaceutical Sciences, University of Colorado Anschutz Medical Campus, 12850 E. Montview Blvd, Aurora, CO 80045, United States

² Analytical Resources Core - Bioanalysis and Omics Center, Colorado State University, Fort Collins, CO 80525, United States

³ Department of Chemistry and Biochemistry, Department of Biological Chemistry and Pharmacology, The Ohio State University, Columbus, OH 43210, United States

⁴ Metabolomics Platform, Broad Institute of MIT and Harvard, Cambridge, MA 02142, United States

⁵ Department of Chemistry and Biochemistry, Montana State University-Bozeman, Bozeman, MT 59717, United States

⁶ Department of Metabolism, Digestion and Reproduction, Imperial College London, W12 0NN, United Kingdom

⁷ Complex Carbohydrate Research Center and Dept of Biochemistry & Molecular Biology, University of Georgia, Athens, GA 30602, United States

⁸ School of Chemistry and Biochemistry, Georgia Institute of Technology, and Parker H. Petit Institute for Bioengineering and Biosciences, Atlanta, GA 30332, United States

⁹ Institute of Chemistry and Metabolomics, University of Lübeck, Lübeck 23562, Germany

¹⁰ Division of Preclinical Innovation, National Center for Advancing Translational Sciences, Rockville, MD 20850, United States

¹¹ Department of Chemistry and Nebraska Center for Integrated Biomolecular Communication, University of Nebraska-Lincoln, Lincoln, NE 68588, United States

¹² Northwest Metabolomics Research Center, Department of Anesthesiology and Pain Medicine, University of Washington, Seattle, WA 98109, United States

¹³ Chemical Sciences Division, National Institute of Standards and Technology, Charleston, SC 29412, United States

¹⁴ Department of Chemistry and Biochemistry, Concordia University, 7141 Sherbrooke Street West, Montreal, Quebec H4B 1R6, Canada

¹⁵ Departments of Biological Sciences and Computing Science, University of Alberta, Edmonton, AB T6G 2E9, Canada

¹⁶ Department of Statistics, Purdue University, West Lafayette, IN 47907, United States

¹⁷ Department of Metabolism, Digestion and Reproduction, Imperial College London, W12 0NN, United Kingdom

Corresponding author: Reisdorph, Nichole
 (Nichole.Reisdorph@CUAnschutz.edu)

Current Opinion in Biotechnology 2026, 102:103582

This review comes from a themed issue on **Metabolomics**

Edited by **Stephanie Bishop**

Available online xxxx

<https://doi.org/10.1016/j.copbio.2026.103582>

0958-1669/© 2026 Elsevier Ltd. All rights are reserved, including those for text and data mining, AI training, and similar technologies.

Introduction


Metabolomics is a key technology in biomedical research, although challenges in standardization, replication, and data quality remain. This review proposes technical, analytical, and computational strategies to improve data quality, enable cross-laboratory reproducibility, and integrate deep learning and multi-omics for emerging biomedical applications (Figure 1).

Improving metabolomics data quality

Overview

The quality and reusability of metabolomics data depend on study design, data acquisition, and data analysis

Figure 1



This perspective article discusses key challenges and solutions, advances, improvements, and applications in metabolomics.

(Figure 2). Technical decisions for these steps affect observed metabolites, their measurements, and the reliability of interpretations. Thus, concise reporting of technical details and stringent quality control practices are imperative for data quality assessment and reusability [1,2].

Sample analysis


Quality is established through: 1) quality assurance (QA), which ensures process reliability through training, calibration, and protocols; 2) quality control (QC), which verifies quality via analysis of QC samples, blanks, and reporting metrics [3]. High-quality metabolomics data requires workflows that minimize sample handling variability [4,5], preserve sample integrity, and assess preanalytical issues [6]. Initiatives like Metabolomics Association of North America (MANA) [1] and Metabolomics Quality Assurance & Quality Control Consortium (mQACC) [7] are driving the development of comprehensive community-directed resources of best practices (e.g., use of reference standards or NIST SRM 1950 reference material) to communicate data quality [8], encourage data reuse [9], and enable inter- and intra-laboratory and study comparisons [10]. Reporting standards efforts, including the International Lipidomics

Society, mQACC [7], and Best Practices for Non-Targeted Analyses [11], provide guidelines for well-designed and well-disseminated studies.

Data analysis and benchmarking

While standardized data analysis approaches are implemented in commonly used open-source software [12,13], approaches depend on instrumentation and extraction protocols (e.g. there is not a single 'best' approach), and the use of different software may produce different outcomes [14]. Additionally, global assessments across software are limited by the sparse availability of standardized test data sets with known outcomes [15]. Nonetheless, advances in reporting metabolite identity confidence [16], cross-referencing identifiers [17], and common data models [18] are improving consistency in data processing and reporting practices. Benchmarking datasets for LC-MS and/or nuclear magnetic resonance (NMR) are also available, enabling robust performance comparisons across software. These are comprised of synthetic/simulated data, standard chemical mixtures [14], and/or biological data (e.g. NIST plasma [19], human urine [20], *Bovine* saliva, *M. smegmatis* extract [14]).

Figure 2



Aspects of data acquisition, data analysis, and reporting that enhance metabolomics data quality and reuse.

Conclusion

Globally, we encourage continued community efforts and implementation of QA/QC, appropriate study design, data reuse, and standardized workflows to improve reproducibility.

Pipeline advances

Overview

Metabolomics pipelines have undergone significant advancements in recent years; however, challenges in sample preparation, data processing, feature extraction, and quality control persist. Pipeline improvements have centered on enhancing the integration of untargeted metabolomics data, particularly in large human cohort studies, where data consistency and reproducibility are critical.

Sample and analysis quality

Incorporating data quality measures into metabolomics pipelines, especially those that can be automated, will yield numerous benefits. Easily detected metabolites that provide information about sample quality (e.g. hypoxanthine and inosine for blood samples [6]), or data quality metrics that can be provided in supplementary materials in journals [2,21] can enhance data quality and reliability.

Data preprocessing and annotation

To address these challenges, new tools such as Eclipse [22] and MetabCombiner [23] can improve feature alignment and data consistency across datasets. Continuous refinements in these programs enable the detection of compounds that were missed in certain analytical batches. Another innovation, Targeted Feature Extraction (TFE), has emerged as a promising solution for improving peak detection by leveraging both m/z and retention time for enhanced identification [24]. Additionally, artificial intelligence (AI)-based data processing tools can optimize peak detection and integration, key bottlenecks in metabolomics pipelines.

Statistical analysis

Another significant improvement is the introduction of statistical methodologies to address complex study designs involving multiple factors and, increasingly, multiple analytical platforms [1]. Statistical methods to model the homeostasis of metabolites tackle the long-standing issue of significant variations in data collected from different sites [25] and from different instruments [17]. The models significantly reduce these variations by > 90% by modeling each metabolite in relation to others, as well as clinical and demographic variables.

Benchmarking

Benchmarking metabolomics data has also gained attention as researchers strive to evaluate the performance of informatics workflows, particularly those based on R. Many publicly available datasets fail to capture the complexity of real-world samples, often leading to inaccuracies in data processing. To address this problem, standardized sample evaluations have been implemented to assess signal-to-noise, differentiate metabolites from contaminants, and ensure data quality at every stage of the pipeline [7]. The introduction of platforms such as the Metabolomics WorkBench [26] aims to facilitate community-wide comparisons of informatics tools and promote transparency in data processing methodologies.

Conclusion

Peak detection, data quality assessment, and cross-study reproducibility remain central issues in pipeline improvements. The integration of AI-driven tools into data processing workflows offers a promising avenue for improvement, though further optimization is required to maximize their efficacy. Additionally, refining sample handling protocols and standardizing metabolite collection procedures are essential steps toward minimizing degradation and ensuring data consistency. As the field progresses, collaborative efforts will be crucial in establishing robust and reproducible metabolomics methodologies that enhance the accuracy and applicability of metabolomic studies.

Deep learning innovations in metabolomics data analysis/machine learning

Overview

Machine learning (ML) has become central to metabolomics data processing and analysis, and deep learning (DL) is now emerging as a transformative tool in this field. ML is applied to large-cohort studies using algorithms such as random forest, partial least squares discriminant analysis (PLS-DA), regularized regression (e.g. LASSO or elastic net), and Bayesian hierarchical or network models to identify signatures, capture complex study structures, and build classification or prediction models. Conversely, DL uses multi-layered neural networks, enabling predictions on much larger datasets. These more advanced methods hold promise in enhancing spectral resolution, automating spectral profiling, and improving the identification of unknown metabolites. Several recently released tools illustrate the power of DL to streamline workflows and improve analytical performance (Table 1).

Enhancing nuclear magnetic resonance spectral resolution

NMR spectroscopy often struggles with overlapping peaks in complex mixtures, complicating metabolite identification. J-RESGRAN uses a Generative Adversarial Network (GAN) to enhance resolution in J-resolved spectra [27]. Trained on 5000 simulated

spectrum pairs, it improved resolution in 80–99% of peak pairs across various biofluids. J-RESGRAN enables faster, cheaper high-resolution spectra without requiring higher magnetic fields or extended acquisition times.

Automating nuclear magnetic resonance spectral profiling

Manual NMR profiling is both time-consuming and prone to errors. DEEP Picker, a DL peak-picking tool trained on synthetic 1D spectra, excels at identifying overlapped peaks [28]. It is integrated into COLMAR (Complex Mixture Analysis by NMR), a suite of automated web tools including COLMAR1d and COLMARq for 1D and 2D profiling [29]. COLMAR1d works across all available NMR field strengths and quantifies up to 40 metabolites. MagMet is another web server that automates preprocessing and quantification for up to 70 metabolites in under 7 minutes [30]. The success of DEEP Picker, COLMAR, and MagMet signifies a new era of automated NMR-based metabolomic analysis.

Deep learning for unknown metabolite identification

A limited number (10–50%) of detectable NMR or MS peaks in biofluid spectra are identifiable due to factors such as limited spectral reference data, peak overlap, contaminants, adducts, and ion suppression. DL tools, such as CFM-ID [31] and FraGNet [32], predict MS/MS spectra, while RT-Pred forecasts LC retention times with high accuracy [33]. PROSPRE predicts proton NMR shifts with < 0.1 ppm error [34]. DeepMet and BioTransformer use DL methods to generate novel metabolite structures [35,36]. The informatics platform, SIRIUS, incorporates DL-enabled modules such as MSMovelist, to support molecular formula generation and annotation [37]. When these structure predictors are combined with DL-based spectral and chromatographic predictors, they have enabled the discovery of dozens of previously unreported metabolites.

Conclusion

Both ML and DL are reshaping metabolomics, from spectral enhancements to metabolite discovery. In addition, large language models are being used to survey metabolomics literature and software, revealing emerging trends and allowing researchers to address critical challenges, thereby providing powerful frameworks for synthesizing and navigating the metabolomics research landscape [38,39]. These DL-based tools are accelerating analysis, improving reproducibility, and opening new avenues for both NMR- and MS-based untargeted metabolomics.

Metabolomics meets the microbiome: emerging trends and innovations

Overview

Advances in metabolomics pipelines, data quality, and deep learning are transforming microbiome research.

These tools enhance our ability to decode complex metabolic interactions between hosts and their microbial communities.

Computational tools

A major development is the integration of molecular networking and machine learning for improved metabolite annotation and pathway analysis. Platforms like Global Natural Products Social Molecular Networking (GNPS) cluster MS/MS data to identify novel microbial metabolites [40,41]. Predictive tools such as CFM-ID [31] and SIRIUS simulate and/or interpret MS/MS spectra, improving metabolite identification. Machine learning models are increasingly applied to high-dimensional metabolomic datasets, enabling predictions about microbial metabolic functions and their impact on host health.

Flux-based approaches

High-throughput flux-based methods, including metabolic flux analysis (MFA) [42,43] and boundary flux analysis (BFA) [44], provide insights into microbial metabolic networks, particularly in the context of antimicrobial resistance (AMR). Studies on *Pseudomonas*

aeruginosa and *Staphylococcus aureus* have revealed species-specific metabolic adaptations that contribute to the development of drug resistance [45,46]. Profiling clinical isolates from large patient cohorts has helped identify metabolic signatures linked to pathogenicity and treatment outcomes [47].

Clinical applications

Clinical and preclinical studies highlight the microbiome's influence on host metabolism [48]. Germ-free and humanized mouse models show microbiome-driven differences in metabolite processing [49]. Tools like AMON [50] integrate metabolomics with genomics to distinguish between microbial and host metabolites. Diet-microbiome interactions, particularly involving bile acids, affect immune signaling and are implicated in various diseases [51]. Despite individual variability, machine learning and molecular networking support robust, multi-dimensional analyses to elucidate the role of the microbiota in human health.

Conclusion

Over the past two decades, high-throughput approaches and bioinformatics have transformed microbial

Table 1

Deep learning and machine learning tools that enable more robust and scalable metabolomics workflows.

Tool or method	Data type	DL category	Primary capability	Citation
J-RESRGAN	NMR	Spectral Resolution	Uses a Generative Adversarial Network to enhance resolution in J-resolved spectra and improve separation of overlapping peaks.	[35]
DEEP Picker	NMR	Spectral Profiling	Detects and characterizes peaks in ¹ D NMR spectra, including highly overlapped peaks.	[36]
COLMAR	NMR	Informatics Platform	Provides a suite of automated web-based tools for metabolite identification and analysis in complex mixtures.	[37]
COLMAR1d	¹ D NMR	Web Tool	Performs automated metabolite identification and quantification across NMR field strengths, with reported quantification of up to approximately 40 metabolites.	[37]
COLMARq	NMR	Web Tool	Supports automated quantitative metabolite profiling within the COLMAR suite.	[37]
MagMet	NMR	Web Tool	Automates spectral preprocessing, metabolite identification, and quantification for up to approximately 70 metabolites.	[38]
CFM-ID	MS/MS	Predicts mass spectra to aid identification	Predicts tandem mass spectra and ranks candidate molecular structures to support compound identification.	[39]
FraGNNet	MS/MS	Predicts mass spectra and fragmentation patterns	Uses graph-based deep learning to predict fragmentation patterns or tandem mass spectra.	[40]
RT-Pred	LC-MS	Predicts retention times	Predicts chromatographic retention times based on SMILES.	[41]
PROSPRE	NMR	Predicts chemical shifts	Predicts proton NMR chemical shifts with reported errors below 0.1 ppm.	[42]
Bio Transformer	MS/MS	Predicts transformation products	Predicts biologically plausible metabolites and metabolic transformation products to support unknown identification.	[44]
DeepMet	MS/MS	Predicts metabolite structures	Generates candidate or novel metabolite structures for subsequent spectral and chromatographic evaluation.	[45]
SIRIUS	MS/MS	Predicts metabolite structures and spectra	Generates candidate or novel metabolite structures for subsequent spectral and chromatographic evaluation.	[46]

metabolomics research. MFA and BFA are essential for mapping microbial metabolic networks and identifying functional adaptations, particularly in AMR. Integration of spectral libraries, predictive algorithms, and genomics has deepened insights into host–microbe interactions, with expanding clinical and translational applications.

Technological advances toward clinical applications

Overview

Clinical metabolomics shows great potential in precision medicine, offering novel diagnostic and therapeutic avenues across diverse disease contexts.

Metabolomics in precision medicine strategies

Metabolomics is uniquely positioned to enable precision medicine because it captures the integrated biochemical output of genetic, proteomic, environmental, dietary, microbial, and pharmacological influences, enabling systems-level characterization of metabolic responses to genetic, environmental, and lifestyle factors [52,53]. Compared with genomics and proteomics, metabolomics also offers a more immediate and dynamic readout of current exposures and physiological responses to diet, environment, disease, and treatment. Metabolomics has been used successfully to reveal key molecular nodes and mechanistic insights that inform the development of novel intervention strategies [54]. Metabolomics is informing the development of pharmacological targets [55], providing biomarkers and mechanistic insights for the early detection and diagnosis of disease [56], revealing the etiology of disease [57], monitoring interventions [58], and even informing genetic links [24,49,59,60].

Improved metabolite identification and functional phenotyping

Natural product chemists typically use activity-guided fractionation to isolate metabolites with a desired function. Compounds in NMR metabolomic workflows can be identified more confidently by using high-pressure liquid chromatography to [61–63] create a ‘metabolite fraction library’ of partially purified molecules from a pooled reference sample [61,62]. An NMR metabolite fraction library can be correlated across fractions to obtain metabolite basis set elements, which represent the collection of NMR observable metabolites in a sample [64]. These basis set elements can then be used to quantitatively fit to unfractionated samples using Bayesian analysis. Collecting NMR and MS spectra on each fraction improves the integration between these complementary technologies. Physical samples can be screened for functional properties such as bioactivity or macromolecular binding.

Multi-omics integration in oncology

Glioblastoma (GBM), a highly aggressive brain cancer, presents significant treatment challenges due to high heterogeneity and metabolic adaptability [65]. Multi-omics offers a comprehensive understanding of tumor metabolism [66]. Mass spectrometry imaging (MSI) can spatially profile metabolic alterations within GBM tissues, providing critical insights into the tumor micro-environment. Integrating MSI and LC–MS has enabled the prediction of GBM patient survival curves [67]. By profiling multiple regions of GBM tumors and margins, including the core and invasive margin, LC–MS can reveal spatially distinct metabolic differences and identify pathways that may represent therapeutic targets [68]. Integration of metabolomic, genomic, and proteomic data, along with immune cell subtyping, can reveal connections between tumor metabolism and immune evasion, thereby highlighting potential therapeutic interventions and improving patient stratification [69]. This type of integrative strategy holds promise for developing personalized treatment based on a patient’s unique metabolic phenotype.

Metabolomics in neurological disorders

Metabolomics has provided invaluable insights into the crosstalk between metabolism and neurodegeneration. For example, NMR metabolomics was used to examine the relationship between the gut–brain–metabolism axis of the neurodevelopmental and neurodegenerative disorder, familial dysautonomia (FD) [70,71]. This rare genetic disorder, caused by a point mutation in the *ELP1* gene, results in widespread nervous system dysfunction, gut microbiome dysbiosis, and alterations in central metabolism. Metabolite alterations in serum and fecal samples correlated with alterations in energy-generating pathways and changes in gut microbiota composition, particularly *Clostridium* species, suggesting a potential microbiome-mediated influence on disease pathology.

Mass spectrometry technologies

Developments in mass spectrometry technologies such as multireflecting time-of-flight [72] and Orbitrap Astral [73] mass analyzers are revolutionizing the quality of measurements performed with metabolomics. All-in-one nano-, capillary-, and micro-flow ultrahigh performance liquid chromatography systems are now enabling single-cell lipidomics with much improved annotation numbers [74]. In situ metabolic profiling using the mass spectrometry pen is enabling surgeons to distinguish healthy from cancerous tissue without having to wait for input from the pathologist [75]. Cyclic ion mobility, trapped ion mobility, Structures for Lossless Ion Manipulations (SLIM) ion mobility, and high-resolution demultiplexing (HRdm) drift tube ion mobility are techniques that are now becoming commonplace in LC–MS-based and spatial metabolomics workflows; these techniques

improve peak capacity, decrease spectral congestion and, in some cases, enable tandem ion mobility experiments to separate highly similar isomeric and isobaric species [76].

Nuclear magnetic resonance glycomics

The study of acute-phase protein glycosylation using NMR has yielded significant insights into inflammatory responses and cancer progression [77,78]. NMR spectra of blood show signals from acute-phase protein glycosylations besides those from metabolites [79]. Such signals, previously termed Glyc-A/B, arise from acetyl groups of neuraminic acid and N-acetylglucosamine decorating acute-phase proteins. These signals can be decomposed by line-shape fitting, yielding weighted contributions from different acute-phase proteins [79]. Selective TOCSY experiments can provide valuable insights into glycosylation patterns. Recent work shows the potential of this type of analysis to obtain markers for liver inflammation and fibrosis (PNPLA3 genotype) [78,80]. This new approach enables the rapid assessment of plasma glycosylation markers without requiring any enzymatic sample processing.

Conclusion

Clinical metabolomics faces challenges such as method standardization, multi-omics data integration, and biomarker validation. Future research should focus on mapping metabolic changes in disease states to understand underlying mechanisms, utilizing pluripotent stem cell-derived models and organoids for functional validation. As metabolomics advances, its integration into routine clinical practice could transform disease diagnosis, treatment, and monitoring, ultimately pushing forward the paradigm of precision medicine.

Overall summary

Metabolomics provides valuable insights into various human health states and biological processes. Although challenges persist, standardized approaches are being implemented throughout the metabolomics pipeline. New methods and strategies are enhancing data harmonization, and integrating machine learning provides opportunities to improve results and reproducibility in data analysis. Thought leaders agree that it is crucial for the international metabolomics community to develop vetted and validated protocols covering the entire pipeline, from sample collection and preparation to spectral acquisition and statistical analysis. Importantly, publishers and funding agencies should enforce compliance with these standards. Efforts are ongoing to enhance data quality through advancements in automation and software, as well as recommendations for protocol standards, guidelines for routine QC, the proper application and interpretation of statistical methods, and adherence to the FAIR (Findable, Accessible, Interoperable, and Reusable) principles. Moreover,

developing new reference materials will further support quality control initiatives.

Future efforts should focus on refining best practices, increasing the availability of standardized reference materials, and encouraging collaborations to improve data interoperability within the metabolomics research community.

Disclaimer

This research was supported in part by the Intramural Research Program of the National Institutes of Health (NIH). The contributions of the NIH author(s) were made as part of their official duties as NIH federal employees, are in compliance with agency policy requirements, and are considered Works of the United States Government. However, the findings and conclusions presented in this paper are those of the author(s) and do not necessarily reflect the views of the NIH, the U.S. Department of Health and Human Services, or the National Institute of Standards and Technology (NIST). Certain commercial equipment, instruments, trade names, products, or materials identified in this paper are not intended to imply or convey and should not be interpreted as conveying official approval, recommendation, or endorsement, nor is it intended to imply that the materials or equipment identified are necessarily the best available for the purpose.

CRedit authorship contribution statement

Nichole Reisdorph: Conceptualization, Writing – original draft, Writing – review & editing, Visualization. **Corey D. Broeckling:** Conceptualization, Writing – original draft, Writing – review & editing. **Rafael Brüsweiler:** Conceptualization, Writing – original draft, Writing – review & editing. **Clary B. Clish:** Conceptualization, Writing – original draft; Writing – review & editing. **Valérie Copié:** Conceptualization, Writing – original draft, Writing – review & editing. **Timothy MD Ebbels:** Conceptualization, Writing – original draft, Writing – review & editing. **Arthur S. Edison:** Conceptualization, Writing – original draft, Writing – review & editing. **Facundo M. Fernández:** Writing – review & editing. **Ulrich L. Günther:** Conceptualization, Writing – original draft, Writing – review & editing. **Ewy A. Mathé:** Conceptualization, Writing – original draft, Writing – review & editing. **Vanessa V. Phelan:** Conceptualization, Writing – original draft, Writing – review & editing; **Robert Powers:** Conceptualization, Writing – original draft, Writing – review & editing. **Daniel Raftery:** Conceptualization, Writing – original draft, Writing – review & editing. **Tracey B. Schock:** Conceptualization, Writing – original draft, Writing – review & editing. **Dajana Vuckovic:** Conceptualization, Writing – original draft, Writing – review & editing. **David S. Wishart:** Conceptualization,

Writing – original draft, Writing – review & editing. **Min Zhang:** Conceptualization, Writing – original draft, Writing – review & editing. **Elizabeth Want:** Conceptualization, Writing – original draft, Writing – review & editing.

Data Availability

No data were used for the research described in the article.

Declaration of Competing Interest

The authors declare no conflict of interest.

Declaration of Generative AI and AI-assisted technologies in the writing process

During the preparation of the annotated references the author(s) used ChatGPT5.0 to suggest summaries for the purpose of consistency in annotating references. After using ChatGPT5.0, the author(s) reviewed and edited the annotated references as needed and take(s) full responsibility for the content of the published annotated references.

Acknowledgements

This work was supported in part by the intramural program Metabolomics (ZIA TR000547) at the National Center for Advancing Translational Sciences, part of the National Institutes of Health.

In addition, this work was supported in part by the Nebraska Center for Integrated Biomolecular Communication (NIH NIGMS P20 GM113126 to R. P.).

Individual grant support: A.S.E. was partially supported by NIH NIGMS 5R35GM148240, V.C. was partially supported by NIH R01DK117473, D. R. and M. Z. were partially supported by NIH grant R01GM131491, N.R. was partially supported by NIH R01DK113957, R.B. was partially supported by R35GM139482, and FMF was supported by NIH R01CA218664, R61CA281667, U24DK112341, R01DK132369, U01DK134191, and the CMA T NSF Research Center (EEC-1648035). T.M.D.E. acknowledges partial support from UKRI BBSRC (grants BB/T007974/1, BB/W002345/1) and BiACEM (grant EC101079370, UKRI 10050966). D.V. acknowledges partial support from NSERC RGPIN-2024-06392 and FRQ CB-366486. Both E.J.W. and T.M.D.E. acknowledge partial support from the European Union project HUMAN (grant EC101073062, UKRI EP/X035840/1). CDB is supported by RRID: SCR_021758.

References and recommended reading

Papers of particular interest, published within the period of review, have been highlighted as:

- of special interest
- of outstanding interest

1. Powers R, Andersson ER, Bayless AL, Brua RB, Chang MC, Cheng LL, Clendinen CS, Cochran D, Copie V, Cort JR, et al.: **Best practices in NMR metabolomics: current state.** *Trends Anal Chem* 2024, **171**:117478.
2. Broeckling CD, Beger RD, Cheng LL, Cumeras R, Cuthbertson DJ, Dasari S, Davis WC, Dunn WB, Evans AM, Fernandez-Ochoa A, et al.: **Current practices in LC-MS untargeted metabolomics: a scoping review on the use of pooled quality control samples.** *Anal Chem* 2023, **95**:18645-18654.
3. Evans AM, O'Donovan C, Playdon M, Beecher C, Beger RD, Bowden JA, Broadhurst D, Clish CB, Dasari S, Dunn WB, et al.: **Dissemination and analysis of the quality assurance (QA) and quality control (QC) practices of LC-MS based untargeted metabolomics practitioners.** *Metabolomics* 2020, **16**:113.
4. Braisted J, Henderson T, Newman JW, Moore SC, Sampson J, McClain K, Ross S, Baer DJ, Mathe EA, Zanetti KA: **Effects of preanalytical sample collection and handling on comprehensive metabolite measurements in human urine biospecimens.** *Am J Epidemiol* 2026, **195**:1201-1209.
5. Odenkirk MT, Michel C, Doenges KA, Leaprot KL, Sherrod SD, May JC, Read ML, Chaparro JM, Montgomery N, Brinkley S, et al.: **A standardized nontargeted metabolomics method for cross-laboratory comparison of food profiles.** *Food Chem* 2025, **493**:145934.
6. Nagana Gowda GA, Pascua V, Hill L, Djukovic D, Wang D, Raftery D: **Discovery of hypoxanthine and inosine as robust biomarkers for predicting the preanalytical quality of human plasma and serum for metabolomics.** *Anal Chem* 2024, **96**:15754-15764.
7. Mosley JD, Schock TB, Beecher CW, Dunn WB, Kuligowski J, Lewis MR, Theodoridis G, Ulmer Holland CZ, Vuckovic D, Wilson ID, et al.: **Establishing a framework for best practices for quality assurance and quality control in untargeted metabolomics.** *Metabolomics* 2024, **20**:20.
8. Mandal R, Zheng J, Zhang L, Oler E, LeVatte MA, Berjanskii M, Lipfert M, Han J, Borchers CH, Wishart DS: **Comprehensive, quantitative analysis of SRM 1950: the NIST human plasma reference material.** *Anal Chem* 2025, **97**:667-675.
9. Gouveia GJ, Head T, Cheng LL, Clendinen CS, Cort JR, Du X, Edison AS, Fleischer CC, Hoch J, Mercaldo N, et al.: **Perspective: use and reuse of NMR-based metabolomics data: what works and what remains challenging.** *Metabolomics* 2024, **20**:41.
10. Torta F, Hoffmann N, Burla B, Alecu I, Arita M, Bamba T, Bennett SAL, Bertrand-Michel J, Brugger B, Cala MP, et al.: **Concordant inter-laboratory derived concentrations of ceramides in human plasma reference materials via authentic standards.** *Nat Commun* 2024, **15**:8562.
11. Peter KT, Phillips AL, Knolhoff AM, Gardinali PR, Manzano CA, Miller KE, Pristner M, Sabourin L, Sumarah MW, Warth B, et al.: **Nontargeted analysis study reporting tool: a framework to improve research transparency and reproducibility.** *Anal Chem* 2021, **93**:13870-13879.
12. Heuckeroth S, Damiani T, Smirnov A, Mokshyna O, Brungs C, Korf A, Smith JD, Stincone P, Dreolin N, Nothias LF, et al.: **Reproducible mass spectrometry data processing and compound annotation in MZmine 3.** *Nat Protoc* 2024, **19**:2597-2641.
13. Pang Z, Lu Y, Zhou G, Hui F, Xu L, Viau C, Spigelman AF, MacDonald PE, Wishart DS, Li S, et al.: **MetaboAnalyst 6.0: towards a unified platform for metabolomics data processing, analysis and interpretation.** *Nucleic Acids Res* 2024, **52**:W398-W406.
14. Aigensberger M, Bueschl C, Castillo-Lopez E, Ricci S, Rivera-Chacon R, Zebeli Q, Berthiller F, Schwartz-Zimmermann HE: **Modular comparison of untargeted metabolomics processing steps.** *Anal Chim Acta* 2025, **1336**:343491.
15. Jurich CP, Jeppesen MJ, Sakalliglu IT, De Lima Leite A, Yesselman JD, Powers R: **Simulated LC-MS data set for assessing the metabolomics data processing pipeline implemented into MVAPACK.** *Anal Chem* 2024, **96**:12943-12956.

16. Metz TO, Chang CH, Gautam V, Anjum A, Tian S, Wang F, Colby SM, Nunez JR, Blumer MR, Edison AS, *et al.*: **Introducing "identification probability" for automated and transferable assessment of metabolite identification confidence in metabolomics and related studies.** *Anal Chem* 2025, **97**:1-11.
 17. Patt A, Pang I, Lee F, Gohel C, Fahy E, Stevens V, Ruggieri D, Moore SC, Mathe EA: **metLinkR: Facilitating Metaanalysis Of Human Metabolomics Data Through Automated Linking Of Metabolite Identifiers.** *J Proteome Res* 2025, **24**:2403-2407.
 18. Mitchell JM, Chi Y, Thapa M, Pang Z, Xia J, Li S: **Common data models to streamline metabolomics processing and annotation, and implementation in a Python pipeline.** *PLoS Comput Biol* 2024, **20**:e1011912.
 19. Simón-Manso Y, Lowenthal MS, Kilpatrick LE, Sampson ML, Telu KH, Rudnick PA, Mallard WG, Bearden DW, Schock TB, Tchekhovskoi DV, *et al.*: **Metabolite profiling of a NIST standard reference material for human plasma (SRM 1950): GC-MS, LC-MS NMR, and clinical laboratory analyses, libraries, and web-based resources.** *Anal Chem* 2013, **85**:11725-11731.
 20. Thévenot EA, Roux A, Xu Y, Ezan E, Junot C: **Analysis of the human adult urinary metabolome variations with age, body mass index, and gender by implementing a comprehensive workflow for univariate and OPLS statistical analyses.** *J Proteome Res* 2015, **14**:3322-3335.
 21. Zhang X, Dong J, Raftery D: **Five easy metrics of data quality for LC-MS-based global metabolomics.** *Anal Chem* 2020, **92**:12925-12933.
 22. Hitchcock DS, Krejci JN, Sturgeon CE, Dennis CA, Jeanfavre ST, Avila-Pacheco JR, Clish CB: **Eclipse: a Python package for alignment of two or more nontargeted LC-MS metabolomics datasets.** *Bioinformatics* 2025, **41**:btaf290.
 23. Habra H, Meijer JL, Shen T, Fiehn O, Gaul DA, Fernandez FM, Rempfert KR, Metz TO, Peterson KE, Evans CR, *et al.*: **metabCombiner 2.0: disparate multi-dataset feature alignment for LC-MS metabolomics.** *Metabolites* 2024, **14**:125.
 24. Hill EB, Reisdorph RM, Rasolofomanana-Rajery S, Michel C, Khajeh-Sharafabadi M, Doenges KA, Weaver N, Quinn K, Sutcliffe AK, Tang M, *et al.*: **Salmon food-specific compounds and their metabolites increase in human plasma and are associated with cardiometabolic health indicators following a mediterranean-style diet intervention.** *J Nutr* 2024, **154**:26-40.
 25. Liu D, Nagana Gowda GA, Jiang Z, Alemjdjrodo K, Zhang M, Zhang D, Raftery D: **Modeling blood metabolite homeostatic levels reduces sample heterogeneity across cohorts.** *Proc Natl Acad Sci USA* 2024, **121**:e2307430121.
 26. Sud M, Fahy E, Cotter D, Azam K, Vadivelu I, Burant C, Edison A, Fiehn O, Higashi R, Nair KS, *et al.*: **Metabolomics workbench: an international repository for metabolomics data and metadata, metabolite standards, protocols, tutorials and training, and analysis tools.** *Nucleic Acids Res* 2016, **44**:D463-D470.
 27. Yan Y, Judge MT, Athersuch T, Xiang Y, Liu Z, Jimenez B, Ebbels TMD: **Resolution enhancement of metabolomic J-Res NMR spectra using deep learning.** *Anal Chem* 2024, **96**:11707-11715.
 28. Li DW, Hansen AL, Yuan C, Bruschweiler-Li L, Bruschweiler R: **DEEP picker is a deep neural network for accurate deconvolution of complex two-dimensional NMR spectra.** *Nat Commun* 2021, **12**:5229.
 29. Li DW, Cabrera Allpas R, Choo M, Bruschweiler-Li L, Hansen AL, Bruschweiler R: **COLMAR1d: a web server for automated, quantitative one-dimensional nuclear magnetic resonance-based metabolomics at arbitrary magnetic fields.** *Anal Chem* 2024, **96**:17174-17183.
 30. Rout M, Lipfert M, Lee BL, Berjanskii M, Assempour N, Fresno RV, Cayuela AS, Dong Y, Johnson M, Shahin H, *et al.*: **MagMet: A fully automated web server for targeted nuclear magnetic resonance metabolomics of plasma and serum.** *Magn Reson Chem* 2023, **61**:681-704.
 31. Wang F, Allen D, Tian S, Oler E, Gautam V, Greiner R, Metz TO, Wishart DS: **CFM-ID 4.0 - a web server for accurate MS-based metabolite identification.** *Nucleic Acids Res* 2022, **50**:W165-W174.
 32. Young A, Wang F, Wishart DS, Wang B, Greiner R, Röst H: **FraGNNNet: a deep probabilistic model for tandem mass spectrum prediction.** *TMLR* 2025,.
 33. Zakir M, LeVatte MA, Wishart DS: **RT-Pred: a web server for accurate, customized liquid chromatography retention time prediction of chemicals.** *J Chromatogr A* 2025, **1747**:465816.
 34. Sajed T, Sayeeda Z, Lee BL, Berjanskii M, Wang F, Gautam V, Wishart DS: **Accurate prediction of (1)H NMR chemical shifts of small molecules using machine learning.** *Metabolites* 2024, **14**:290.
 35. Qiang H, Wang F, Lu W, Xing X, Kim H, Merette SAM, Ayres LB, Oler E, AbuSalim JE, Roichman A, *et al.*: **Language model-guided anticipation and discovery of mammalian metabolites.** *Nature* 2026, **651**:211-220.
- This study demonstrates the use of large language models (LLMs) to predict and prioritize previously unknown metabolites, combined with experimental validation. The study illustrates how machine learning can complement traditional MS-based workflows to expand metabolite annotation capabilities in untargeted metabolomics studies. This represents a new framework for expanding coverage of the metabolome and reducing the annotation bottleneck in metabolomics research.
36. Wishart DS, Tian S, Allen D, Oler E, Peters H, Lui VW, Gautam V, Djoumbou-Feunang Y, Greiner R, Metz TO: **BioTransformer 3.0-a web server for accurately predicting metabolic transformation products.** *Nucleic Acids Res* 2022, **50**:W115-W123.
 37. Stravs MA: **A decade of computational mass spectrometry from reference spectra to deep learning.** *Chimia (Aarau)* 2024, **78**:525-530.
 38. Bifarin OO, Yelluru VS, Simhadri A, Fernandez FM: **A large language model-powered map of metabolomics research.** *Anal Chem* 2025, **97**:14088-14096.
- This summarizes the use of PubMedBERT, neural topic modeling, and a large language model to map more than 80 000 metabolomics publications, identify major research themes, and track emerging trends across the field.
39. Dekermanjian J, Labeikovskiy W, Ghosh D, Kechris K: **MSCAT: a machine learning assisted catalog of metabolomics software tools.** *Metabolites* 2021, **11**:678.
 40. Wang M, Carver JJ, Phelan VV, Sanchez LM, Garg N, Peng Y, Nguyen DD, Watrous J, Kapono CA, Luzzatto-Knaan T, *et al.*: **Sharing and community curation of mass spectrometry data with global natural products social molecular networking.** *Nat Biotechnol* 2016, **34**:828-837.
 41. Coler EA, Melnik A, Lotfi A, Moradi D, Ahiadu B, Portal Gomes PW, Patan A, Charron-Lamoureux V, Dorrestein PC, Barnes S, *et al.*: **Ordering molecular diversity in untargeted metabolomics via molecular community networking.** *Cell Rep Methods* 2026, **10**:1468.
- This paper introduces molecular community networking (MCN), an approach that optimizes metabolite connectivity in untargeted metabolomics to better capture natural molecular families, enabling the discovery of novel compounds such as dipeptide-conjugated bile acids.
42. Bartman CR, TeSlaa T, Rabinowitz JD: **Quantitative flux analysis in mammals.** *Nat Metab* 2021, **3**:896-908.
 43. Lewis JE, Kemp ML: **Integration of machine learning and genome-scale metabolic modeling identifies multi-omics biomarkers for radiation resistance.** *Nat Commun* 2021, **12**:2700.
 44. Lewis IA: **Boundary flux analysis: an emerging strategy for investigating metabolic pathway activity in large cohorts.** *Curr Opin Biotechnol* 2024, **85**:103027.
 45. Dunphy LJ, Grimes KL, Wase N, Kolling GL, Papin JA: **Untargeted metabolomics reveals species-specific metabolite production and shared nutrient consumption by *Pseudomonas aeruginosa* and *Staphylococcus aureus*.** *mSystems* 2021, **6**:e00480-00421.
 46. Opperman MJ, Shachar-Hill Y: **Metabolic flux analyses of *Pseudomonas aeruginosa* cystic fibrosis isolates.** *Metab Eng* 2016, **38**:251-263.

47. Groves RA, Mapar M, Aburashed R, Ponce LF, Bishop SL, Rydzak T, Drikic M, Bihan DG, Benediktsson H, Clement F, *et al.*: **Methods for quantifying the metabolic boundary fluxes of cell cultures in large cohorts by high-resolution hydrophilic liquid chromatography mass spectrometry.** *Anal Chem* 2022, **94**:8874-8882.
 48. Mayers JR, Varon J, Zhou RR, Daniel-Ivad M, Beaulieu C, Bhosle A, Glasser NR, Lichtenauer FM, Ng J, Vera MP, *et al.*: **A metabolomics pipeline highlights microbial metabolism in bloodstream infections.** *Cell* 2024, **187**:4095-4112.e4021.
 49. Sterrett JD, Quinn KD, Doenges KA, Nusbacher NM, Levens CL, Armstrong ML, Reisdorph RM, Smith H, Saba LM, Kuhn KA, *et al.*: **Appearance of green tea compounds in plasma following acute green tea consumption is modulated by the gut microbiome in mice.** *Microbiol Spectr* 2025, **13**:e0179924.
 50. Shaffer M, Thurimella K, Quinn K, Doenges K, Zhang X, Bokatzian S, Reisdorph N, Lozupone CA: **AMON: annotation of metabolite origins via networks to integrate microbiome and metabolome data.** *BMC Bioinforma* 2019, **20**:614.
 51. Charron-Lamoureux V, Mannocho-Russo H, Lamichhane S, Xing S, Patan A, Portal Gomes PW, Rajkumar P, Deleray V, Caraballo-Rodriguez AM, Chua KV, *et al.*: **A guide to reverse metabolomics-a framework for big data discovery strategy.** *Nat Protoc* 2025, **20**:2960-2993.
 52. Chechin Catussi BL, Lo Turco EG, Pereira DM, Teixeira RMN, Castro BP, Massaia IFD: **Metabolomics: unveiling biological matrices in precision nutrition and health.** *Clin Nutr ESPEN* 2024, **64**:314-323.
 53. Vo DK, Trinh KTL: **Emerging biomarkers in metabolomics: advancements in precision health and disease diagnosis.** *Int J Mol Sci* 2024, **25**:13190.
 54. Mahmod AI, Govindaraju K, Lokanathan Y, Akmarina N, Said BM, Ibrahim B: **Metabolomics-guided mechanisms of mesenchymal stromal cell and exosome therapies in chronic diseases.** *Stem Cell Rev Rep* 2026, **22**:1659-1682.
 55. Rabinowitz JD, Purdy JG, Vastag L, Shenk T, Koyuncu E: **Metabolomics in drug target discovery.** *Cold Spring Harb Symp Quant Biol* 2011, **76**:235-246.
 56. Cai M, Liu H, Shao C, Li T, Jin J, Liang Y, Wang J, Cao J, Yang B, He Q, *et al.*: **Metabolomics and metabolites in cancer diagnosis and treatment.** *Mol Biomed* 2025, **6**:109.
 57. Fuller H, Zhu Y, Nicholas J, Chatelaine H, Drzymala E, Sarvestani A, Julian-Serrano S, Tahir U, Sinnott-Armstrong N, Raffield L, *et al.*: **Metabolomic epidemiology offers insights into disease aetiology.** *Nat Metab* 2023, **5**:1793-1807.
 58. Xu J, Li S, Jin Y, Yao H, Hu X, Cao S, Zhou H: **Network pharmacology combined with untargeted metabolomics reveals the intervention mechanism and compatibility of chenpi-rougui herb pair in nonalcoholic fatty liver disease.** *Front Mol Biosci* 2025, **12**:1553162.
- Combines network pharmacology, untargeted serum metabolomics, and gene validation to show that the Chenpi-Rougui herb pair produces broader metabolic and molecular effects than either herb alone in a mouse model of NAFLD.
59. Xu Z, Zhou Y, Xie R, Ning Z: **Metabolomics uncovers the diabetes metabolic network: from pathophysiological mechanisms to clinical applications.** *Front Endocrinol* 2025, **16**:1624878.
 60. Stanciu AR, Gillespie C, Britz-McKibbin P: **Environmental exposures and health risks: a metabolomics perspective on exposomics research.** *Annu Rev Anal Chem* 2025, **18**:47-71.
 61. Sumner LW, Lei Z, Nikolau BJ, Saito K: **Modern plant metabolomics: advanced natural product gene discoveries, improved technologies, and future prospects.** *Nat Prod Rep* 2015, **32**:212-229.
 62. Whiley L, Chekmeneva E, Berry DJ, Jimenez B, Yuen AHY, Salam A, Hussain H, Witt M, Takats Z, Nicholson J, *et al.*: **Systematic isolation and structure elucidation of urinary metabolites optimized for the analytical-scale molecular profiling laboratory.** *Anal Chem* 2019, **91**:8873-8882.
 63. Wolfender JL, Terreaux C, Hostettmann K: **The importance of LC-MS And LC NMR in the discovery of new lead compounds from plants.** *Pharm Biol* 2000, **38**:41-54.
 64. Esselman C, Garrison K, Ponce L, Borges RM, Delaglio F, Edison AS: **Metabolite fraction libraries for quantitative NMR metabolomics.** *Anal Chem* 2026, **98**:20255-20264.
 65. Badr CE, Silver DJ, Siebzehnrbul FA, Deleyrolle LP: **Metabolic heterogeneity and adaptability in brain tumors.** *Cell Mol Life Sci* 2020, **77**:5101-5119.
 66. Ravi VM, Will P, Kueckelhaus J, Sun N, Joseph K, Salié H, Vollmer L, Kuliesiute U, von Ehr J, Benotmane JK, *et al.*: **Spatially resolved multi-omics deciphers bidirectional tumor-host interdependence in glioblastoma.** *Cancer Cell* 2022, **40**:639-655 e613.
 67. Hendriks TFE, Birmpili A, de Vleeschouwer S, Heeren RMA, Cuyppers E: **Integrating rapid evaporative ionization mass spectrometry classification with matrix-assisted laser desorption ionization mass spectrometry imaging and liquid chromatography-tandem mass spectrometry to unveil glioblastoma overall survival prediction.** *ACS Chem Neurosci* 2025, **16**:1021-1033.
- This study demonstrates that combining REIMS, MALDI-MSI, and LC-MS/MS enables real-time lipidomic and proteomic profiling of glioblastoma, yielding a predictive model of patient survival and revealing molecular features associated with short- versus long-term outcomes.
68. Wood J, Smith SJ, Castellanos-Urbe M, Lourdasamy A, May ST, Barrett DA, Grundy RG, Kim DH, Rahman R: **Metabolomic characterisation of the glioblastoma invasive margin reveals a region-specific signature.** *Heliyon* 2025, **11**:e41309.
 69. Wang L-B, Karpova A, Gritsenko MA, Kyle JE, Cao S, Li Y: **Clinical proteomic tumor analysis C: proteogenomic and metabolomic characterization of human glioblastoma.** *Cancer Cell* 2021, **39**:509-528.e520.
- Integrates genomic, proteomic, post-translational modification, metabolomic, and single-cell data from 99 treatment-naïve glioblastomas to define molecular and immune subtypes, identify subtype-specific lipid and metabolic patterns, and reveal potential therapeutic targets for patient stratification.
70. Cheney AM, Costello SM, Pinkham NV, Waldum A, Broadway SC, Cotrina-Vidal M, Mergy M, Tripet B, Kominsky DJ, Grifka-Walk HM, *et al.*: **Gut microbiome dysbiosis drives metabolic dysfunction in Familial dysautonomia.** *Nat Commun* 2023, **14**:218.
 71. Costello SM, Cheney AM, Waldum A, Tripet B, Cotrina-Vidal M, Kaufmann H, Norcliffe-Kaufmann L, Lefcort F, Copie V: **A comprehensive NMR analysis of serum and fecal metabolites in familial dysautonomia patients reveals significant metabolic perturbations.** *Metabolites* 2023, **13**:287.
 72. Cooper-Shepherd DA, Wildgoose J, Kozlov B, Johnson WJ, Tyldesley-Worster R, Palmer ME, Hoyes JB, McCullagh M, Jones E, Tonge R, *et al.*: **Novel hybrid quadrupole-multireflecting time-of-flight mass spectrometry system.** *JASMS* 2023, **34**:264-272.
 73. Wang X, Chen Y, Li Z, Fan Z, Zhong R, Liu T, Li X, Lu X, Xu G: **Enhanced structure-guided molecular networking annotation method for untargeted metabolomics data from orbitrap astral mass spectrometer.** *Anal Chem* 2025, **97**:11506-11514.
 74. von Gerichten J, Saunders KDG, Spick M, Bailey MJ: **Single-cell lipidomics: performance evaluation across four liquid chromatography mass spectrometry (LC-MS) systems.** *Analyst* 2025, **150**:4525-4534.
 75. Shanneik Y, Burt B, Ramineni M, Eberlin LS: **Advancing non small cell lung cancer detection and subtyping by MasSpec Pen technology.** *Cancer Res* 2025, **85**:4584-4584.
 76. Lira KE, May JC, McLean JA: **Ion mobility spectrometry and ion mobility-mass spectrometry in clinical chemistry.** *Adv Clin Chem* 2025, **124**:123-160.
 77. Connolly NA, Otvos JD, Shalauova I, Playford MP, Mehta NN: **GlycA, a novel biomarker of systemic inflammation and cardiovascular disease risk.** *J Transl Med* 2017, **15**:219.
 78. Rudolph L, Krellmann R, Castven D, Jegodzinski L, Deris H, Stambuk J, Molbitz J, Dechent L, Sperling K, Lindloge M, *et al.*:

- Fast NMR-based assessment of cancer-associated protein glycosylations from serum samples.** *Anal Chem* 2025, **97**:9367-9377.
79. Mallagaray A, Rudolph L, Lindloge M, Molbitz J, Thomsen H, Schmelter F, Alhabash MW, Abdullah MR, Saraei R, Ehlers M, *et al.*: **Towards a precise NMR quantification of acute phase inflammation proteins from human serum.** *Angew Chem Int Ed Engl* 2023, **62**:e202306154.
80. Jegodzinski L, Rudolph L, Castven D, Sayk F, Rout AK, Föh B, Hölzen L, Meyhöfer S, Schenk A, Weber SN, *et al.*: **PNPLA3 I148M variant links to adverse metabolic traits in MASLD during fasting and feeding**☆. *JHEP Rep* 2025,101450.